

NEGATIVE DECLARATION & NOTICE OF DETERMINATION

SAN LUIS OBISPO COUNTY DEPARTMENT OF PLANNING AND BUILDING 976 OSOS STREET * ROOM 200 * SAN LUIS OBISPO * CALIFORNIA 93408 * (805) 781-5600

Promoting the Wise Use of Land . Helping to Build Great Communities

ENVIRONMENTAL DETERMINATION NO. ED07-264

FOR OFFICIAL USE ONLY (SEF)

DATE: December 31, 2014

PROJECT/ENTITLEMENT: San Geronimo, LLC Vesting Tentative Parcel Map SUB2007-00131

APPLICANT NAME:

Dick Mooney

ADDRESS:

PO Box 271, Cayucos, CA 93430

CONTACT PERSON:

Marc Dakos

Telephone: 805-466-2445

PROPOSED USES/INTENT: Request by San Geronimo LLC for a Vesting Tentative Parcel Map (CO07-0163) to subdivide two existing parcels totaling 30.08 acres into three parcels of approximately ten acres each for the purpose of sale and/or development. The project includes off-site road improvements to Venice Road and an existing driveway to be used for secondary access. The project will result in the disturbance of approximately 15,000 square feet for road improvements and up to 2.5 acres for future residential development on the 30 acre parcel. The proposed project is within the Residential Rural land use category.

LOCATION: The project is located on Venice Rd, approximately 1,000 feet south of El Pomar Road, approximately five miles east of the community of Templeton. The site is in the El Pomar-Estrella planning area.

LEAD AGENCY:

County of San Luis Obispo Department of Planning & Building

976 Osos Street, Rm. 200

San Luis Obispo, CA 93408-2040

STATE CLEARINGHOUSE REVIEW: YES NO \boxtimes

OTHER POTENTIAL PERMITTING AGENCIES: CAL FIRE, Environmental Health

ADDITIONAL INFORMATION: Additional information pertaining to this environmental determination may be obtained by contacting the above Lead Agency address or (805) 781-5600.

COUNTY "REQUEST FOR REVIEW" PERIOD ENDS AT 5 p.m. on January 14, 2015 20-day PUBLIC REVIEW PERIOD begins at the time of public notification

Notice of Det	ermination	State	Clearinghouse No.
· <u> - 선도 보험하</u> 는 보통화기를 보려고 되었다. 전환 1일 등 전략 등 경기 보고 있다.	nat the San Luis Obispo County	as 🗀	Lead Agency
	ency approved/denied the above design of the above design determinations regarding the above design.		and has
this project approval of	t will not have a significant effect on the pursuant to the provisions of CEQA. I the project. A Statement of Overridin ere made pursuant to the provisions of	Mitigation measures were m g Considerations was not ad	ade a condition of the
This is to certify th available to the Ge	at the Negative Declaration with comm eneral Public at:	ents and responses and rec	ord of project approval is
	Department of Planning and Buildi 976 Osos Street, Room 300, San		
	Stephanie Fuhs	C	ounty of San Luis Obispo
Signature	Project Manager Name	Date P	ublic Agency

G:\Virtual Project Files\Land Divisions\Fiscal 2007-2008\Parcel Maps\SUB2007-00131 CO 07-0163 SAYLER\Environmental Determination\Sayler Neg Dec coversheet.doc



Initial Study Summary – Environmental Checklist

SAN LUIS OBISPO COUNTY DEPARTMENT OF PLANNING AND BUILDING 976 OSOS STREET + ROOM 200 + SAN LUIS OBISPO + CALIFORNIA 93408 + (805) 781-5600 Promoting the Wise Use of Land . Helping to Build Great Communities

Project Title &	No.	San Geronimo LLCVesting Ten	tative Parcel Map;	SUB2007-00131 (CO07-
_	163):	ED07- 204		

"Potenti refer to	ially Significant Impact" the attached pages for o	POTENTIALLY AFFECT for at least one of the enviloscussion on mitigation medicant levels or require furth	rironmental f easures or p	factors checked belo	w. Please
		Geology and Soils Hazards/Hazardous M Noise Population/Housing Public Services/Utilitie]	☐ Recreation ☐ Transportation/Ci ☐ Wastewater ☑ Water /Hydrology ☐ Land Use	
DETER	RMINATION: (To be com	pleted by the Lead Agency	')		
On the	basis of this initial evalu	<u>ation, the Environmental C</u>	oordinator fil	nds that:	
	The proposed project NEGATIVE DECLARAT	COULD NOT have a sig ION will be prepared.	nificant effe	ect on the environm	ent, and a
	be a significant effect i	oroject could have a signifion this case because revised to the proponent. A MITIGA	ions in the	project have been i	made by or
		MAY have a significa ACT REPORT is required.		on the environmen	t, and an
	unless mitigated" impact analyzed in an earlier addressed by mitigation	MAY have a "potentially set on the environment, but document pursuant to ap measures based on the IENTAL IMPACT REPORT addressed.	at least one plicable lega earlier ana	e effect 1) has been al standards, and 2 llysis as described (adequately) has been on attached
	potentially significant of NEGATIVE DECLARAT mitigated pursuant to the	project could have a signife effects (a) have been an TON pursuant to applicable that earlier EIR or NEGAT that are imposed upon the pro-	nalyzed ade e standards IVE DECLA	equately in an earl , and (b) have been RATION, including i	lier EIR or avoided or revisions or
	inie Fuhs	aguai	ll qu	WF	192414
Prepar	ed by (Print)	Signature	-	·	Date
Rob Fi		West Jayley		ntal Coordinator	12/14
Review	ved by (Print)	Skignatūre)	(for)	/ Bate

County of San Luis Obispo, Initial Study

Page 1

Project Environmental Analysis

The County's environmental review process incorporates all of the requirements for completing the Initial Study as required by the California Environmental Quality Act (CEQA) and the CEQA Guidelines. The Initial Study includes staff's on-site inspection of the project site and surroundings and a detailed review of the information in the file for the project. In addition, available background information is reviewed for each project. Relevant information regarding soil types and characteristics, geologic information, significant vegetation and/or wildlife resources, water availability, wastewater disposal services, existing land uses and surrounding land use categories and other information relevant to the environmental review process are evaluated for each project. Exhibit A includes the references used, as well as the agencies or groups that were contacted as a part of the Initial Study. The County Planning Department uses the checklist to summarize the results of the research accomplished during the initial environmental review of the project.

Persons, agencies or organizations interested in obtaining more information regarding the environmental review process for a project should contact the County of San Luis Obispo Current Planning Division, 976 Osos Street, Rm. 200, San Luis Obispo, CA, 93408-2040 or call (805) 781-5600.

A. PROJECT

DESCRIPTION: Request by San Geronimo LLC for a Vesting Tentative Parcel Map (CO07-0163) to subdivide two existing parcels totaling 30.08 acres into three parcels of approximately ten acres each for the purpose of sale and/or development. The project includes off-site road improvements to Venice Road and an existing driveway to be used for secondary access. The project will result in the disturbance of approximately 15,000 square feet for road improvements and up to 2.5 acres for future residential development on the 30 acre parcel. The proposed project is within the Residential Rural land use category and is located on Venice Rd, approximately 1,000 feet south of El Pomar Road, approximately five miles east of the community of Templeton. The site is in the El Pomar-Estrella sub area of the North County planning area.

The site is currently developed with one residence on Proposed Parcel 3, the other two parcels are undeveloped. With the proposed subdivision, two additional primary residences and three secondary residences could be constructed, along with other structures allowed in the Residential Rural land use category.

The project is a Vesting Tentative Map that was accepted for processing in 2008 before Paso Robles Groundwater standards were in effect, including the standard prohibiting new land divisions within the groundwater basin. Because of the vested status, the project must comply with the standards that were in place when the project was accepted in 2008; however, the environmental review and mitigation measures will reflect the water availability constraints facing this particular region currently.

ASSESSOR PARCEL NUMBER(S): 034-111-014 and 034-101-003

Latitude: 35 degrees 32' 35" N Longitude: -120 degrees 38' 6" W SUPERVISORIAL DISTRICT # 5

B. EXISTING SETTING

PLANNING AREA: El Pomar/Estrella sub area, North C TOPOGRAPHY: Moderately sloping planning area to steeply sloping

LAND USE CATEGORY: Residential Rural VEGETATION: Grasses, Shrubs ,Oak woodland, walnut orchard

COMBINING DESIGNATION(S): None PARCEL SIZE: 30.08 acres

County of San Luis Obispo, Initial Study

Page 2

EXISTING USES: Single family residence on Parcel 3, walnut orchard on Parcel 1, remainder undeveloped

SURROUNDING LAND USE CATEGORIES AND USES:

North: Residential Rural; single-family residence(s)	East: Residential Rural; single-family residence(s)
South: Residential Rural and Agriculture; single-family residence(s)	West: Residential Rural; single-family residence(s)

C. ENVIRONMENTAL ANALYSIS

During the Initial Study process, several issues were identified as having potentially significant environmental effects (see following Initial Study). Those potentially significant items associated with the proposed uses can be minimized to less than significant levels.



COUNTY OF SAN LUIS OBISPO INITIAL STUDY CHECKLIST

1.	AESTHETICS Will the project:	Potentially Significant	Impact can & will be mitigated	Insignificant Impact	Not Applicable
a)	Create an aesthetically incompatible site open to public view?		\boxtimes		
b)	Introduce a use within a scenic view open to public view?			\boxtimes	
c)	Change the visual character of an area?			\boxtimes	
d)	Create glare or night lighting, which may affect surrounding areas?		\boxtimes		
e)	Impact unique geological or physical features?				
f)	Other:				

Setting. The project site is located on Venice Road, a local, private road accessed off of Almond Drive, east of the community of Templeton. It is over 1/2 mile from Almond Drive to the edge of proposed Parcel 1. The site is within an area of properties primarily zoned residential rural ranging in size from 7 to 16 acres. There are some parcels zoned Agriculture to the south of proposed Parcel 3. between 20 and 65 acres that do not have any agricultural operations. The Land Use Ordinance requires a minimum ten acre parcel size for new lots within this area.

The property is moderately to steeply sloping and contains an existing residence on proposed Parcel 3 and a walnut orchard on proposed Parcel 1. The remainder of the site is undeveloped and contains areas of oak woodland. The surrounding area contains primarily large rural residential parcels with scattered residences and small scale agricultural operations. The other adjacent properties are zoned Agriculture with some grazing and vineyard operations. The project is considered compatible with the surrounding uses.

Impact. The applicant has proposed building envelopes on all three parcels in order to limit the amount of site disturbance and tree removal needed to accommodate future development. The envelope on proposed Parcel 1 is 1.5 acres located on the northeastern corner of the parcel. This envelope is at a lower elevation and will not be visible or silhouette. Removal of some of the walnut trees will be necessary; however, the applicant has indicated that the orchard has not been tended for several years and has not been watered for at least six months, so it is likely that the orchard will be removed at some point in the future due to lack of watering and maintenance of the trees. The envelope on proposed Parcel 2 is approximately one acre and is located in a clearing that will not require significant tree removal, but will potentially require removal of up to seven oak trees. The envelope is at a high point on the project site but will not silhouette due to vegetation growing both in the foreground and background of the proposed building area and rolling terrain. There is no envelope proposed on Parcel 3 because it contains the existing residence. Additional structures could be developed on the property, including a secondary dwelling and other uses allowed in the Residential Rural land use category as long as additional water use is offset at a 1:1 ratio (see additional water discussion under the "Water" section below). The existing residence is not visible from Almond Drive and future development within this building envelope will not break any ridgeline or require specific mitigation measures.

The project has the potential to result in visual impacts as seen from public areas by introducing night lighting to a rural area.

Mitigation/Conclusion. Limiting night lighting so that it is directed down and into the development with no direct light visible from surrounding public roads. Please refer to Exhibit B – Mitigation Summary Table for a detailed list of required mitigation measures. Incorporation of these measures will reduce impacts to less than significant levels.

2.	AGRICULTURAL RESOURCES Will the project:	Potentially Significant	Impact can & will be mitigated	Insignificant Impact	Not Applicable
a)	Convert prime agricultural land, per NRCS soil classification, to non- agricultural use?		-		
b)	Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance to non-agricultural use?				
c)	Impair agricultural use of other property or result in conversion to other uses?			\boxtimes	
d)	Conflict with existing zoning for agricultural use, or Williamson Act program?			\boxtimes	
e) ု	Other:				
	tting. <u>Project Elements</u> . The following area agricultural production:	-specific elen	nents relate to	the property's	importance
<u>Lar</u>	nd Use Category: Residential rural		xisting Comme I on proposed P		Walnut
<u>Sta</u>	te Classification: Not prime farmland	<u>In Agricul</u> Reserv		Yes; the El Por	mar Ag
		<u>Under Wi</u>	illiamson Act co	ntract? No	

The soil type(s) and characteristics on the subject property include:

Linne-Calodo complex (9 - 30 % slope).

Linne. This moderately sloping soil is considered not well drained. The soil has moderate erodibility and moderate shrink-swell characteristics, as well as having potential septic system constraints due to: steep slopes, shallow depth to bedrock, slow percolation. The soil is considered Class IV without irrigation and Class IV when irrigated.

Calodo. This moderately sloping soil is considered not well drained. The soil has moderate erodibility and moderate shrink-swell characteristics, as well as having potential septic system constraints due to: steep slopes, shallow depth to bedrock, slow percolation. The soil is considered Class IV without irrigation and Class IV when irrigated.



Linne-Calodo complex (30 - 50 % slope).

<u>Linne</u>. This steeply sloping soil is considered not well drained. The soil has moderate erodibility and moderate shrink-swell characteristics, as well as having potential septic system constraints due to: steep slopes, shallow depth to bedrock, slow percolation. The soil is considered Class VI without irrigation and Class is not rated when irrigated.

<u>Calodo</u>. This steeply sloping soil is considered not well drained. The soil has moderate erodibility and moderate shrink-swell characteristics, as well as having potential septic system constraints due to: steep slopes, shallow depth to bedrock, slow percolation. The soil is considered Class VI without irrigation and Class is not rated when irrigated.

Lockwood-Concepcion complex (2 - 9% slope).

<u>Lockwood</u>. This gently sloping soil is considered well drained. The soil has moderate erodibility and moderate shrink-swell characteristics, as well as having potential septic system constraints due to: slow percolation. The soil is considered Class IV without irrigation and Class II when irrigated.

<u>Concepcion</u>. This gently sloping soil is considered very poorly drained. The soil has moderate erodibility and low shrink-swell characteristics, as well as having potential septic system constraints due to: slow percolation. The soil is considered Class IV without irrigation and Class II when irrigated.

The site is located in the Residential Rural land use category with a walnut orchard on proposed Parcel 1 and some scattered vineyards and orchards on properties to the northeast and east. The properties that are zoned Agriculture to the south of proposed Parcel 3 do not have any agricultural operations on them.

The project is located in the El Pomar Agricultural Preserve which is an overlay zone that has been adopted by the Board of Supervisors. Agricultural preserve areas are areas within the County that have been designated as regions that should be kept in agriculture and/or open space through the establishment of preserves which then allow property owners to enter into land conservation contracts if they qualify for such contracts based on various factors such as type of crops, soil type and the amount of land being used for agriculture.

Impact. The project is located in an area with primarily residential rural zoning with scattered vineyards and orchards located on parcels between 7 and 16 acres. No significant impacts to agricultural resources are anticipated.

Mitigation/Conclusion. No significant issues are anticipated and no mitigation measures are considered necessary.

3.	AIR QUALITY Will the project:	Potentially Significant	Impact can & will be mitigated	Insignificant Impact	Not Applicable
a)	Violate any state or federal ambient air quality standard, or exceed air quality emission thresholds as established by County Air Pollution Control District?				
b)	Expose any sensitive receptor to substantial air pollutant concentrations?				
c)	Create or subject individuals to objectionable odors?			\boxtimes	

County of San Luis Obispo, Initial Study

3. AIR QUA Will the p		Potentially Significant	Impact can & will be mitigated	Insignificant Impact	Not Applicable
d) Be inconsis Air Plan?	tent with the District's Clean				
net increase either consi under applic ambient air due to incre	cumulatively considerable of any criteria pollutant dered in non-attainment cable state or federal quality standards that are ased energy use or traffic or intensified land use				
GREENHOUSE	GASES				
either direct	eenhouse gas emissions, ily or indirectly, that may ificant impact on the t?	Liverage			
or regulation	h an applicable plan, policy n adopted for the purpose the emissions of gases?				
h) Other:					

Setting. The Air Pollution Control District (APCD) has developed and updated their CEQA Air Quality Handbook (2012) to evaluate project specific impacts and help determine if air quality mitigation measures are needed, or if potentially significant impacts could result. To evaluate long-term emissions, cumulative effects, and establish countywide programs to reach acceptable air quality levels, a Clean Air Plan has been adopted (prepared by APCD).

Greenhouse Gas (GHG) Emissions are said to result in an increase in the earth's average surface temperature. This is commonly referred to as global warming. The rise in global temperature is associated with long-term changes in precipitation, temperature, wind patterns, and other elements of the earth's climate system. This is also known as climate change. These changes are now thought to be broadly attributed to GHG emissions, particularly those emissions that result from the human production and use of fossil fuels.

The passage of AB32, the California Global Warming Solutions Act (2006), recognized the need to reduce GHG emissions and set the greenhouse gas emissions reduction goal for the State of California into law. The law required that by 2020, State emissions must be reduced to 1990 levels. This is to be accomplished by reducing greenhouse gas emissions from significant sources via regulation, market mechanisms, and other actions. Subsequent legislation (e.g., SB97-Greenhouse Gas Emissions bill) directed the California Air Resources Board (CARB) to develop statewide thresholds.

In March 2012, the San Luis Obispo County Air Pollution Control District (APCD) approved thresholds for GHG emission impacts, and these thresholds have been incorporated the APCD's CEQA Air Quality Handbook. APCD determined that a tiered process for residential / commercial land use

County of San Luis Obispo, Initial Study

Page 7

projects was the most appropriate and effective approach for assessing the GHG emission impacts. The tiered approach includes three methods, any of which can be used for any given project:

- 1. Qualitative GHG Reduction Strategies (e.g. Climate Action Plans): A qualitative threshold that is consistent with AB 32 Scoping Plan measures and goals; or,
- 2. Bright-Line Threshold: Numerical value to determine the significance of a project's annual GHG emissions; or,
- 3. Efficiency-Based Threshold: Assesses the GHG impacts of a project on an emissions per capita basis.

For most projects the Bright-Line Threshold of 1,150 Metric Tons CO2/year (MT CO2e/yr) will be the most applicable threshold. In addition to the residential/commercial threshold options proposed above, a bright-line numerical value threshold of 10,000 MT CO2e/yr was adopted for stationary source (industrial) projects.

It should be noted that projects that generate less than the above mentioned thresholds will also participate in emission reductions because air emissions, including GHGs, are under the purview of the California Air Resources Board (or other regulatory agencies) and will be "regulated" either by CARB, the Federal Government, or other entities. For example, new vehicles will be subject to increased fuel economy standards and emission reductions, large and small appliances will be subject to more strict emissions standards, and energy delivered to consumers will increasingly come from renewable sources. Other programs that are intended to reduce the overall GHG emissions include Low Carbon Fuel Standards, Renewable Portfolio standards and the Clean Car standards. As a result, even the emissions that result from projects that produce fewer emissions than the threshold will be subject to emission reductions.

Under CEQA, an individual project's GHG emissions will generally not result in direct significant impacts. This is because the climate change issue is global in nature. However, an individual project could be found to contribute to a potentially significant cumulative impact. Projects that have GHG emissions above the noted thresholds may be considered cumulatively considerable and require mitigation.

The Clean Air Plan includes land use management strategies to guide decision makers on land use approaches that result in improved air quality. One such strategy, "Planning Compact Communities", identifies development density increases within urban areas is preferable over density increases in rural areas. Density increases in rural areas results in longer single-occupant vehicle trips and increases emissions.

As identified by APCD, this development is somewhat inconsistent with the CAP. This partial inconsistency is not considered significant for the following reasons: 1) the proposed density of this subdivision is still consistent with what was assumed in the last update of the Clean Air, which, based in part on this density, approved the necessary control measures to achieve acceptable air quality attainment in the future; and 2) standard forecast modeling (e.g., ARB URBEMIS) identifies that vehicles in the near future will produce substantially lower emissions (e.g., use of electric, hybrid and advanced technology vehicles). Based on the above discussion, given that only two new residences and three secondary dwellings are allowable, both individual and cumulative impacts are expected to be less than significant as it relates to the Clean Air Plan land use strategies.

Impact. As proposed, the project will result in the disturbance of approximately 15,000 square feet for road improvements and up to 2.5 acres for future residential development. This will result in the creation of construction dust, as well as short- and long-term vehicle emissions. The project will be moving less than 1,200 cubic yards/day of material and will disturb less than four acres of area, and therefore will be below the general thresholds triggering construction-related mitigation. The project is also not in close proximity to sensitive receptors that might otherwise result in nuisance complaints

and subject to limited dust and/or emission control measures during construction.

From an operational standpoint, based on Table 1-1 of the CEQA Air Quality Handbook (2012), the project will not exceed operational thresholds triggering mitigation. The project is consistent with the general level of development anticipated and projected in the Clean Air Plan. No significant air quality impacts are expected to occur.

This project is a three lot parcel map. Using the GHG threshold information described in the Setting section, the project is expected to generate less than the Bright-Line Threshold of 1,150 metric tons of GHG emissions. Therefore, the project's potential direct and cumulative GHG emissions are found to be less significant and less than a cumulatively considerable contribution to GHG emissions. Section 15064(h)(2) of the CEQA Guidelines provide guidance on how to evaluate cumulative impacts. If it is shown that an incremental contribution to a cumulative impact, such as global climate change, is not 'cumulatively considerable', no mitigation is required. Because this project's emissions fall under the threshold, no mitigation is required.

Mitigation/Conclusion. The project will be subject to standard dust control measures as recommended by the Air Pollution Control District. These measures include, but are not limited to, the following:

- Reducing the amount of disturbed area when possible.
- Using water trucks and sprinkler systems to prevent dust from leaving the site.
- Dirt stockpiles sprayed daily and as needed.
- Driveways and sidewalks paved as soon as possible.

In addition, the project will be subject to residential wood combustion and developmental burning standards as recommended by the APCD. Please refer to Exhibit B – Mitigation Summary Table for a detailed list of required mitigation measures. Incorporation of these measures will reduce impacts to less than significant levels.

4.	BIOLOGICAL RESOURCES Will the project:	Potentially Significant	Impact can & will be mitigated	Insignificant Impact	Not Applicable
a)	Result in a loss of unique or special status species* or their habitats?				
b)	Reduce the extent, diversity or quality of native or other important vegetation?		\boxtimes	and the same of th	
c)	Impact wetland or riparian habitat?				\boxtimes
d)	Interfere with the movement of resident or migratory fish or wildlife species, or factors, which could hinder the normal activities of wildlife?				
e)	Conflict with any regional plans or policies to protect sensitive species, or regulations of the California Department of Fish & Wildlife or U.S. Fish & Wildlife Service?				

County of San Luis Obispo, Initial Study

4.	BIOLOGICAL RESOURCES	Potentially	Impact can	Insignificant	Not	
	Will the project:	Significant	& will be mitigated	Impact	Applicable	
f)	Other:					
* S	pecies – as defined in Section15380 of the CEQA of fall under the category of rare, threatened of	Suidelines, which or endangered, a	includes all pla s described in th	nt and wildlife sp nis section.	ecies that	
	tting. The following are existing elements logical concerns:	on or near th	e proposed p	roject relating	to potential	
!	On-site Vegetation: Grasses, shrubs, oak w	oodland, walni	ıt orchard			
]	Name and distance from blue line creek(s): to the east of the project site.	Unnamed blu	e line creek is	s approximately	/ 0.40 miles	
1	Habitat(s): Oak Woodland					
	Site's tree canopy coverage: Approximately	10-33%.				
	e Natural Diversity Database (or other be entially existing within approximately one mi			ied the follow	ng species	
Shi The	ning navarretia (Navarretia nigelliformis ssp ning navarretia (<i>Navarretia nigelliformis</i> ssp e typical blooming period is May-July. Shi D 2-2-3).	. radians) has	been found ab			
roa add	Impact. Grading activities associated with scraping, grading and re-compaction of existing access roads and building pads could result in removal of approximately 17 oak trees with impacts to an additional 12 oaks. Nesting birds may be disturbed by vegetation removal, disruptive construction equipment noise, and increased human activity near nesting areas. Fish and Game Code 3503 protects birds, their eggs and nests from disturbance or destruction from construction activities.					
devapposition des	Mitigation/Conclusion. To mitigate for future impacts to coast live oak trees associated with future development, the applicant has agreed to adopt conditions requiring that prior to development the applicant would be required to submit a site plan showing the location and diameter of all coast live oak trees within fifty feet of proposed grading and construction activities. All removed oak trees will be replaced on-site at a 4:1 ratio. Impacted trees shall be replaced onsite at a 2:1 ratio. To avoid impacts to nesting birds, the applicant has agreed to avoid removal of vegetation or any other ground disturbance between February and September 15 to avoid impacts to native breeding and nesting birds. If construction activities during this period cannot be avoided, a county-approved biologist shall survey all breeding and nesting habitat on the site and adjacent sites for breeding and/or nesting birds no more than two weeks prior to construction or site disturbance activities. Results of the surveys shall be submitted to the Department of Fish and Wildlife (CDFW) for concurrence with the report. If nesting and/or breeding birds are found, appropriate mitigation measures shall be developed in consultation with the CDFW and the applicant shall adhere to these measures during all construction activities on the site.					
5.	CULTURAL RESOURCES Will the project:	Potentially Significant	Impact can & will be mitigated	Insignificant Impact	Not Applicable	
a)	Disturb archaeological resources?					
	County of San Luis Obispo, Initial Study				Page 10	

5.	CULTURAL RESOURCES Will the project:	Potentially Significant	Impact can & will be mitigated	Insignificant Impact	Not Applicable	
b)	Disturb historical resources?			\boxtimes		
c)	Disturb paleontological resources?			\boxtimes		
d)	Other:				\boxtimes	
Setting. The project is located in an area historically occupied by the Obispeno Chumash and Salinan No historic structures are present and no paleontological resources are known to exist in the area. The project is within 300 feet of a blue line creek, but the slope of the site is over twenty percent. Potential for the presence or regular activities of the Native American increases in close proximity to reliable water sources.						
of p	pact. The project is not located in an area the physical features typically associated with presented on the property. Impacts to historical	ehistoric occu	pation. No evi	dence of cultur	al materials	
	igation/Conclusion. No significant cultur igation measures are necessary.	al resource ir	mpacts are ex	xpected to occ	ur, and no	
6.	GEOLOGY AND SOILS Will the project:	Potentially Significant	Impact can & will be mitigated	Insignificant Impact	Not Applicable	
a)	Result in exposure to or production of unstable earth conditions, such as landslides, earthquakes, liquefaction, ground failure, land subsidence or other similar hazards?					
b)	Be within a California Geological Survey "Alquist-Priolo" Earthquake Fault Zone", or other known fault zones*?				\boxtimes	
c)	Result in soil erosion, topographic changes, loss of topsoil or unstable soil conditions from project-related improvements, such as vegetation removal, grading, excavation, or fill?					
d)	Include structures located on expansive soils?				\boxtimes	
e)	Be inconsistent with the goals and policies of the County's Safety Element relating to Geologic and Seismic Hazards?					
f)	Preclude the future extraction of valuable mineral resources?					
<i>©</i>					Pogo 44	

6.	GEOLOGY AND SOILS Will the project:	Potentially Significant	Impact can & will be mitigated	Insignificant Impact	Not Applicable	
g)	Other:					
* Pe	* Per Division of Mines and Geology Special Publication #42					
Set	tting. The following relates to the project's g	eologic aspect	s or conditions	S :		
	Topography: Moderately sloping to steeply	sloping				
	Within County's Geologic Study Area?: No					
	Landslide Risk Potential: Moderate					
	Liquefaction Potential: Low					
	Nearby potentially active faults?: No Dis	tance? Not ap	oplicable			
	Area known to contain serpentine or ultrama	ific rock or soil	ls?: No			
	Shrink/Swell potential of soil: Moderate					
	Other notable geologic features? None					
roa par futu	pact. As proposed, the project will result in the d widening with up to 2.5 acres for future re- cels, sedimentation and erosion control plan- ure development.	esidential deve ns will be nece	elopment. Due essary to addr	e to the topogra ess potential im	aphy of the pacts from	
	igation/Conclusion. There is no evidence inance or codes are needed.	that measures	s above what v	will already be i	equired by	
7.	HAZARDS & HAZARDOUS MATERIALS - Will the project:	Potentially Significant	Impact can & will be mitigated	Insignificant Impact	Not Applicable	
a)	Create a hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?					
b)	Create a hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?	To appropriate the second seco				
•	Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within 1/4-mile of an existing or proposed school?	. 🗆				

7.	HAZARDS & HAZARDOUS MATERIALS - Will the project:	Potentially Significant	impact can & will be mitigated	Insignificant Impact	Not Applicable
d)	Be located on, or adjacent to, a site which is included on a list of hazardous material/waste sites compiled pursuant to Gov't Code 65962.5 ("Cortese List"), and result in an adverse public health condition?			. Communication of the communi	
e)	Impair implementation or physically interfere with an adopted emergency response or evacuation plan?				
f)	If within the Airport Review designation, or near a private airstrip, result in a safety hazard for people residing or working in the project area?				
g)	Increase fire hazard risk or expose people or structures to high wildland fire hazard conditions?		\boxtimes		
h)	Be within a 'very high' fire hazard severity zone?			\boxtimes	
i)	Be within an area classified as a 'state responsibility' area as defined by CalFire?				
j)	Other:				

Setting. The project is not located in an area of known hazardous material contamination. The project is not within the Airport Review area. With regards to potential fire hazards, the subject project is within the High Fire Hazard Severity Zone. Based on the County's fire response time map, it will take 10-15 minutes to respond to a call regarding fire or life safety. Refer to the Public Services section for further discussion on Fire Safety impacts. The project is not within the 100-year Flood Hazard Combining designation (FH).

Impact. The project does not propose the use of hazardous materials, or the generation of hazardous wastes. The project does not present a significant fire safety risk. The project is not expected to conflict with any regional emergency response or evacuation plan. Because the project is located in the high fire severity zone, modification of vegetation within 100 feet of any buildings and additional on-site water storage will be required in accordance with the fire safety letter dated January 29, 2008 from CalFire.

In addition, secondary access will be necessary due to the length of the dead end road. CalFire and planning staff met out on the project site in May 2014 to determine if the existing easement and/or driveway on the parcel directly adjacent to the south of proposed Parcel 2 (APN 034-111-013) would meet CalFire standards. This access was determined to meet the requirements and will need to be inspected by CalFire staff prior to recordation of the final map to ensure any improvements have been completed.

Regarding cumulative effects, public facility (county) and school (State Government Code 65995 et seq.) fee programs have been adopted to address this impact, and will reduce the cumulative impacts to less than significant levels.

Mitigation/Conclusion. No measures beyond those required by ordinance or code are necessary.

8.	NOISE Will the project:	Potentially Significant	Impact can & will be mitigated	Insignificant Impact	Not Applicable
a) [*]	Expose people to noise levels that exceed the County Noise Element thresholds?				
b)	Generate permanent increases in the ambient noise levels in the project vicinity?				
c)	Cause a temporary or periodic increase in ambient noise in the project vicinity?				
d)	Expose people to severe noise or vibration?			\boxtimes	
e)	If located within the Airport Review designation or adjacent to a private airstrip, expose people residing or working in the project area to severe noise levels?				
f)	Other:				
Setting . The project is not within close proximity of loud noise sources, and will not conflict with any sensitive noise receptors (e.g., residences). Based on the Noise Element's projected future noise generation from known stationary and vehicle-generated noise sources, the project is within an acceptable threshold area.					
	pact. The project is not expected to generate				
	igation/Conclusion. No significant noise im cessary.	pacts are antic	ipated, and no	mitigation me	asures are
9.	POPULATION/HOUSING Will the project:	Potentially Significant	lmpact can & will be mitigated	Insignificant Impact	Not Applicable
a)	Induce substantial growth in an area either directly (e.g., construct new homes or businesses) or indirectly (e.g., extension of major infrastructure)?		water		

9.	POPULATION/HOUSING Will the project:	Potentially Significant	Impact can & will be mitigated	Insignificant Impact	Not Applicable
ĺ	Displace existing housing or people, requiring construction of replacement housing elsewhere?				
	Create the need for substantial new housing in the area?				
d) (Other:				
Setting In its efforts to provide for affordable housing, the county currently administers the Home Investment Partnerships (HOME) Program and the Community Development Block Grant (CDBG) program, which provides limited financing to projects relating to affordable housing throughout the county. The County's Inclusionary Housing Ordinance requires provision of new affordable housing in conjunction with both residential and nonresidential development and subdivisions.					
	act. The project will not result in a need the lace existing housing.	for a significar	it amount of r	new housing, a	nd will not
will i hous impa	gation/Conclusion. No significant population mitigate its cumulative impact to the shortage ing unit(s) either on-site and/or by payme act fee (commercial projects). No mitigation applicant will pay an affordable housing in-lieup.	ge of affordable nt of the in-lie n measures are	e housing stoo u fee (resider e necessary.	ck by providing ntial projects), Prior to map re	affordable or housing ecordation,
1	PUBLIC SERVICES/UTILITIES Will the project have an effect upon, or result in the need for new or altered public services in any of the following areas:	Potentially Significant	Impact can & will be mitigated	Insignificant Impact	Not Applicable
a)	Fire protection?		\boxtimes		
b)	Police protection (e.g., Sheriff, CHP)?		\boxtimes		
c)	Schools?		\boxtimes	White-the	
d)	Roads?		\boxtimes		
e)	Solid Wastes?			\boxtimes	
f)	Other public facilities?			\boxtimes	
g)	Other:				
Sett	ing. The project area is served by the follow	ving public ser	vices/facilities	:	
Polic	e: County Sheriff Location: Tem	npleton (Approxi	mately 4 miles t	to the North Wes	t)
Fire:	Cal Fire (formerly CDF) Hazard Severi	ty: High	Respon	ise Time: 10-15 i	minutes
	Location: Approximately 4.5 miles to the North	West			

County of San Luis Obispo, Initial Study

School District:	Templeton	Unified	School	District.
------------------	-----------	---------	--------	-----------

County of San Luis Obispo, Initial Study

Impact. No significant project-specific impacts to utilities or public services were identified. This project, along with others in the area, will have a cumulative effect on police/sheriff and fire protection, and schools. The project's direct and cumulative impacts are within the general assumptions of allowed use for the subject property that was used to estimate the fees in place.

Mitigation/Conclusion. Because the project is located in the high fire severity zone, secondary emergency access, modification of vegetation within 100 feet of any buildings and additional on-site water storage will be required in accordance with the fire safety letter dated January 29, 2008 from CalFire. Regarding cumulative effects, public facility (county) and school (State Government Code 65995 et seq.) fee programs have been adopted to address this impact, and will reduce the cumulative impacts to less than significant level.

11.	RECREATION	Potentially Significant	Impact can & will be	Insignificant Impact	Not Applicable
	Will the project:		mitigated		
a),	Increase the use or demand for parks or other recreation opportunities?		\boxtimes		
b)	Affect the access to trails, parks or other recreation opportunities?			\boxtimes	
c)	Other				
Setting. The County's Parks and Recreation Element does not show that a potential trail goes through the proposed project. The project is not proposed in a location that will affect any trail, park, recreational resource, coastal access, and/or Natural Area. Prior to map recordation, county ordinance requires the payment of a fee (Quimby) for the improvement or development of neighborhood or community parks.					
Nat	Impact. The proposed project will not create a project specific significant need for additional park, Natural Area, and/or recreational resources, but will contribute to a cumulative areawide demand for these facilities.				
(Qu fee	gation/Conclusion. Prior to map recordati imby) for the improvement or development will adequately mitigate the project's impactants are anticipated, and no additional mitigates.	of neighborho at on recreation	ood or commur onal facilities.	nity parks. The No significant	"Quimby"
12.	. TRANSPORTATION/CIRCULATION	Potentially Significan		Insignificant Impact	Not Applicable
	Will the project:	- 10	mitigated	•	
	Increase vehicle trips to local or areawide circulation system?				
	Reduce existing "Level of Service" on public roadway(s)?				

Page 16

12	2. TRANSPORTATION/CIRCULATION Will the project:	Potentially Significant	Impact can & will be mitigated	Insignificant Impact	Not Applicable
c)	Create unsafe conditions on public roadways (e.g., limited access, design features, sight distance, slow vehicles)?				
d)	Provide for adequate emergency access?		\boxtimes		
e)	Conflict with an established measure of effectiveness for the performance of the circulation system considering all modes of transportation (e.g. LOS, mass transit, etc.)?				
f)	Conflict with an applicable congestion management program?				
g)	Conflict with adopted policies, plans, or programs regarding public transit, bicycle, or pedestrian facilities, or otherwise decrease the performance or safety of such facilities?				
h)	Result in a change in air traffic patterns that may result in substantial safety risks?				\boxtimes
i)	Other:				

Setting. The County has established the acceptable Level of Service (LOS) on roads for this rural area as "C" or better. The existing road network in the area, including the project's access street(s) (Venice Road) is operating at an acceptable level of service. Based on existing road speeds and configuration (vertical and horizontal road curves), sight distance is considered acceptable.

Referrals were sent to County Public Works. The project is subject to the County Road Fee for Templeton, which addresses cumulative impacts to County roads in the area. No significant traffic-related concerns were identified.

Emergency Access. The project site is located on a long dead end road that exceeds CalFire's dead end road length. This means that secondary access will need to be provided to ensure that there is an additional access point in case of a fire or other emergency.

Impact. The proposed project is estimated to generate about 48 trips per day, based on the Institute of Traffic Engineer's manual of 9.57 trips/unit. This small amount of additional traffic will not result in a significant change to the existing road service or traffic safety levels.

With regard to secondary access, planning and CalFire staff met on-site with the previous owner and determined that there is an existing access easement on the property to the south that can be used for emergency access. This access can either be by improving this access easement or using the existing driveway that serves the residence on the parcel to the south.

The project does not conflict with adopted policies, plans and programs on transportation. The project is within the Templeton B Circulation Fee area. This fee provides the means to collect "fair share" monies from new development to help fund certain regional road improvements that will be needed

County of San Luis Obispo, Initial Study

Page 17

once the area reaches "buildout". The project will be subject to this fee.

Mitigation/Conclusion. Prior to recordation of the final map, the applicant shall provide evidence that the proposed secondary access meets CalFire standards. No additional traffic impacts were identified, and no mitigation measures above what are already required by ordinance are necessary.

13	. WASTEWATER Will the project:	Potentially Significant	Impact can & will be mitigated	Insignificant Impact	Not Applicable
a)	Violate waste discharge requirements or Central Coast Basin Plan criteria for wastewater systems?				
b)	Change the quality of surface or ground water (e.g., nitrogen-loading, day-lighting)?				
c)	Adversely affect community wastewater service provider?				
d)	Other:				

Setting. Regulations and guidelines on proper wastewater system design and criteria are found within the County's Plumbing Code (hereafter CPC; see Chapter 7 of the Building and Construction Ordinance [Title 19]), the "Water Quality Control Plan, Central Coast Basin" (Regional Water Quality Control Board [RWQCB] hereafter referred to as the "Basin Plan"), and the California Plumbing Code. These regulations include specific requirements for both on-site and community wastewater systems. These regulations are applied to all new wastewater systems.

For on-site septic systems, there are several key factors to consider for a system to operate successfully, including the following:

- ✓ Sufficient land area (refer to County's Land Use Ordinance or Plumbing Code) depending on water source, parcel size minimums will range from one acre to 2.5 acres;
- ✓ The soil's ability to percolate or "filter" effluent before reaching groundwater supplies (30 to 120 minutes per inch is ideal);
- ✓ The soil's depth (there needs to be adequate separation from bottom of leach line to bedrock
 [at least 10 feet] or high groundwater [5 feet to 50 feet depending on percolation rates]);
- ✓ The soil's slope on which the system is placed (surface areas too steep creates potential for daylighting of effluent);
- ✓ Potential for surface flooding (e.g., within 100-year flood hazard area);
- ✓ Distance from existing or proposed wells (between 100 and 250 feet depending on circumstances); and
- ✓ Distance from creeks and water bodies (100-foot minimum).

To assure a successful system can meet existing regulation criteria, proper conditions are critical. Above-ground conditions are typically straight-forward and most easily addressed. Below ground criteria may require additional analysis or engineering when one or more factors exist:

✓ the ability of the soil to "filter" effluent is either too fast (percolation rate is faster or less than 30 minutes per inch and has "poor filtering" characteristics) or is too slow (slower or more than

120 minutes per inch);

- the topography on which a system is placed is steep enough to potentially allow "daylighting" of effluent downslope; or
- ✓ the separation between the bottom of the leach line to bedrock or high groundwater is inadequate.

Based on Natural Resource Conservation Service (NRCS) Soil Survey map, the soil type(s) for the project is provided in the listed in the previous Agricultural Resource section. The main limitation(s) of this soil for wastewater effluent include:

- --shallow depth to bedrock, which is an indication that there may not be sufficient soil depth to provide adequate soil filtering of effluent before reaching bedrock. Once effluent reaches bedrock, the chances increase for the effluent to infiltrate cracks that could lead directly to groundwater source or surrounding wells without adequate filtering, or allow for daylighting of effluent where bedrock is exposed to the earth's surface. In this case, due to limited availability of information relating to the shallow depth to bedrock characteristic, the following additional information will be needed prior to issuance of a building permit: soil borings at leach line location(s) showing that there is adequate distance to bedrock. If adequate distance cannot be shown, a County-approved plan for an engineered wastewater system showing how the basin plan criteria can be met will be required.
- --steep slopes, where portions of the soil unit contain slopes steep enough to result in potential daylighting of wastewater effluent. In this case, there is an existing septic system and leach field located on proposed Parcel 3. This system does not have any history of issues. In this case, the proposed leach lines will be on or located within close proximity of steep slopes where some potential of effluent daylighting exists. A registered civil engineer familiar with wastewater systems, shall prepare an analysis that shows the location and depth of the leach lines will have no potential for daylighting of effluent.
- --slow percolation, where fluids will percolate too slowly through the soil for the natural processes to effectively break down the effluent into harmless components. The Basin Plan identifies the percolation rate should be greater than 30 and less than 120 minutes per inch.

Impacts/Mitigation. Based on the following project conditions or design features, wastewater impacts are considered less than significant:

- ✓ The project has sufficient land area per the County's Land Use Ordinance to support an onsite system;
- ✓ There is adequate soil separation between the bottom of the leach line to bedrock or high groundwater;
- ✓ The soil's slope is between 20% and 30% and will require an engineered system;
- ✓ The leach lines are outside of the 100-year flood hazard area;
- ✓ There is adequate distance between proposed leach lines and existing or proposed wells;
- ✓ The leach lines are at least 100 feet from creeks and water bodies.

Based on the above discussion and information provided, the site appears to be able to design an onsite system that will meet CPC/Basin Plan requirements. Prior to building permit issuance and/or final inspection of the wastewater system, the applicant will need to show to the county compliance with the County Plumbing Code/ Central Coast Basin Plan, including any above-discussed information relating to potential constraints. Therefore, based on the project being able to comply with these regulations, potential groundwater quality impacts are considered less than significant.

14	WATER & HYDROLOGY Will the project:	Potentially Significant	Impact can & will be mitigated	Insignificant Impact	Not Applicable
QL	JALITY			\boxtimes	
a)	Violate any water quality standards?				لـــــا
b)	Discharge into surface waters or otherwise alter surface water quality (e.g., turbidity, sediment, temperature, dissolved oxygen, etc.)?				
c)	Change the quality of groundwater (e.g., saltwater intrusion, nitrogenloading, etc.)?		\boxtimes		
d)	Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide additional sources of polluted runoff?				
e)	Change rates of soil absorption, or amount or direction of surface runoff?				
f)	Change the drainage patterns where substantial on- or off-site sedimentation/ erosion or flooding may occur?				
g)	Involve activities within the 100-year flood zone?				\boxtimes
QI	JANTITY		K2i	r—	<u> </u>
h)	Change the quantity or movement of available surface or ground water?			Ш	لــا
i)	Adversely affect community water service provider?			\boxtimes	
<i>j)</i>	Expose people to a risk of loss, injury or death involving flooding (e.g., dam failure, etc.), or inundation by seiche, tsunami or mudflow?				
k)	Other:				

Setting. The project proposes to obtain its water needs from an on-site well/a shared well. The Environmental Health Division has reviewed the project for water availability and has determined that there is preliminary evidence that there will be sufficient water available to serve the proposed project. Based on available information, the proposed water source is not known to have any significant availability or quality problems.

The topography of the project is moderately sloping to steeply sloping. The closest creek from the proposed development is approximately 0.40 miles away. As described in the NRCS Soil Survey, the soil surface is considered to have low erodibility.

Projects involving more than one acre of disturbance are subject to preparing a Storm Water Pollution Prevention Plan (SWPPP) to minimize on-site sedimentation and erosion. When work is done in the rainy season, the County's Land Use Ordinance requires that temporary erosion and sedimentation measures to be installed.

DRAINAGE - The following relates to the project's drainage aspects:

Within the 100-year Flood Hazard designation? No

Closest creek? Unnamed blue line creek Distance? Approximately 0.40 miles east of the project site

Soil drainage characteristics: Not well drained to very poorly drained

For areas where drainage is identified as a potential issue, the Land Use Ordinance (LUO Sec. 22.52.110 or CZLUO Sec. 23.05.042) includes a provision to prepare a drainage plan to minimize potential drainage impacts. When required, this plan would need to address measures such as: constructing on-site retention or detention basins, or installing surface water flow dissipaters. This plan would also need to show that the increased surface runoff would have no more impacts than that caused by historic flows.

SEDIMENTATION AND EROSION – Soil type, area of disturbance, and slopes are key aspects to analyzing potential sedimentation and erosion issues. The project's soil types and descriptions are listed in the previous Agriculture section under "Setting". As described in the NRCS Soil Survey, the the project's soil erodibility is as follows:

Soil erodibility: Moderate

A sedimentation and erosion control plan is required for all construction and grading projects (LUO Sec. 22.52.120, CZLUO Sec. 23.05.036) to minimize these impacts. When required, the plan is prepared by a civil engineer to address both temporary and long-term sedimentation and erosion impacts. Projects involving more than one acre of disturbance are subject to the preparation of a Storm Water Pollution Prevention Plan (SWPPP), which focuses on controlling storm water runoff. The Regional Water Quality Control Board is the local extension who monitors this program.

Impact - Water Quality/Hydrology

With regards to project impacts on water quality the following conditions apply:

- ✓ Approximately 15,000 square feet of site disturbance for road improvements with up to 2.5 acres of disturbance for residential development is proposed;
- ✓ The project will be subject to standard County requirements for drainage, sedimentation and erosion control for construction and permanent use;
- ✓ The project is not within a 100-year Flood Hazard designation;
- ✓ The project is more than 100 feet from the closest creek or surface water body;
- ✓ All disturbed areas will be permanently stabilized with impermeable surfaces and landscaping;
- ✓ Bioswales will be installed as a part of the drainage plan;
- ✓ Stockpiles will be properly managed during construction to avoid material loss due to erosion;
- ✓ The project is subject to the County's Plumbing Code (Chapter 7 of the Building and Construction Ordinance [Title 19]), and/or the "Water Quality Control Plan, Central Coast Basin" for its wastewater requirements, where wastewater impacts to the groundwater basin

will be less than significant;

✓ All hazardous materials and/or wastes will be properly stored on-site, which include secondary containment should spills or leaks occur.

Water Quantity

Based on the project description, as calculated on the County's water usage worksheet, the project's water usage is estimated as follows:

Indoor: 1.05 acre feet/year (AFY);

Outdoor: 1.53 AFY Total Use: 2.58 AFY

Sources used for this estimate include one or more of the following references: County's Land Use Ordinance, 2000 Census data, Pacific Institute studies (2003), City of Santa Barbara Water Demand Factor & Conservation Study 'User Guide' (1989).

Mitigation/Conclusion. The project site is within the Paso Robles Groundwater Basin area. This project is a vesting tentative map that was accepted prior to the prohibition on new land divisions and is therefore not subject to this restriction. However, due to the fact that the project site is within an area with known water quantity issues, this project will be subject to offsetting and conservation measures when new development is proposed. These measures include, but are not limited to: offsetting of new net water use at a 1:1 ratio with monitoring per Urgency Ordinance 3246, a limitation on landscaping of 1,000 square feet of the lot area with no more than 10% of that area to be planted with turf grass, use of cisterns and rain barrels, rain gardens or pervious pavement, and vegetated swales.

15. LAND USE Will the project:	Inconsistent	Potentially Inconsistent	Consistent	Not Applicable
a) Be potentially inconsistent wi use, policy/regulation (e.g., ge [County Land Use Element an Ordinance], local coastal plan plan, Clean Air Plan, etc.) ado avoid or mitigate for environn effects?	eneral plan id i, specific pted to			
 b) Be potentially inconsistent winder habitat or community conserved plan? 				\boxtimes
c) Be potentially inconsistent wi adopted agency environment policies with jurisdiction over project?	al plans or			
d) Be potentially incompatible w surrounding land uses?	ith 📋		\boxtimes	
e) Other:		and the second s		

Setting/Impact. Surrounding uses are identified on Page 2 of the Initial Study. The proposed project was reviewed for consistency with policy and/or regulatory documents relating to the environment and appropriate land use (e.g., County Land Use Ordinance, Local Coastal Plan, etc.). Referrals were

Page 22

sent to outside agencies to review for policy consistencies (e.g., CAL FIRE for Fire Code, APCD for Clean Air Plan, etc.). The project was found to be consistent with these documents (refer also to Exhibit A on reference documents used).

The project is not within or adjacent to a Habitat Conservation Plan area. The project is consistent or compatible with the surrounding uses as summarized on page 2 of this Initial Study.

The project is a Vesting Tentative Map that was accepted for processing in 2008 before Paso Robles Groundwater standards were in effect, including the standard prohibiting new land divisions within the groundwater basin. Maps that are labeled as "vesting" lock into the regulations that are in place on the date the project is accepted for processing. Because the map was accepted for processing in 2008, staff has to review the project based on the ordinance standards that were in place at that time. The Paso Robles Groundwater Basin standards were adopted in 2013, therefore the project is not subject to the standard that prohibits land divisions within the basin area; however, this environmental document does recognize that there is a water availability issue and has proposed mitigation measures to lessen the impact to an insignificant level.

Mitigation/Conclusion. No inconsistencies were identified and therefore no additional measures above what will already be required were determined necessary.

16.	MANDATORY FINDINGS OF SIGNIFICANCE Will the project:	Potentially Significant	Impact can & will be mitigated	Insignificant Impact	Not Applicable
a)	Have the potential to degrade the quareduce the habitat of a fish or wildlife population to drop below self-sustain animal community, reduce the number endangered plant or animal or elimination periods of California history or preh	e species, caus ning levels, thre er or restrict th ate important e	e a fish or wil eaten to elimi e range of a r	dlife nate a plant or are or	
b)	Have impacts that are individually lin ("Cumulatively considerable" means are considerable when viewed in con the effects of other current projects,	that the incren	nental effects ne effects of p	of a project	
	probable future projects)		\bowtie		
c)	Have environmental effects which win human beings, either directly or indire		nntial adverse	effects on	
Cou Env	further information on CEQA or the country's web site at "www.sloplanning.org" ironmental Resources Evaluation System of the California Environmental Resources Evaluation System of the California Environmental Resources Evaluation about the California Environmental Resources Evaluation about the California Environmental Resources Evaluation about the California Environmental Resources Evaluation at the California Environmental Resources Evaluation	under "Enviror at: <u>http://www.c</u>	nmental Inform ceres.ca.gov/top	nation", or the	California

Exhibit A - Initial Study References and Agency Contacts

The County Planning Department has contacted various agencies for their comments on the proposed project. With respect to the subject application, the following have been contacted (marked with an 🗵) and when a response was made, it is either attached or in the application file:

\boxtimes	itacted Agency	<u>ireaboliae</u>
	County Public Works Department	Attached
\boxtimes	County Environmental Health Division	Attached
	County Agricultural Commissioner's Off	fice Not Applicable
	County Airport Manager	Not Applicable
\sqcap	Airport Land Use Commission	Not Applicable
$\overline{\boxtimes}$	Air Pollution Control District	None
\Box	County Sheriff's Department	Not Applicable
\Box	Regional Water Quality Control Board	Not Applicable
	CA Coastal Commission	Not Applicable
	CA Department of Fish and Wildlife	Not Applicable
$\overline{\boxtimes}$	CA Department of Forestry (Cal Fire)	Attached
	CA Department of Transportation	Not Applicable
П	Community Services District	Not Applicable
$\overline{\boxtimes}$	Other Parks Division	In File**
\Box	Other	Not Applicable
	** "No comment" or "No concerns"-type resp	onses are usually not attached
ргој	posed project and are hereby incorporated b rmation is available at the County Planning and	nave been used in the environmental review for the by reference into the Initial Study. The following Building Department.
	Project File for the Subject Application unty documents Coastal Plan Policies Framework for Planning (Coastal/Inland) General Plan (Inland/Coastal), includes all maps/elements; more pertinent elements: Agriculture Element	 □ Design Plan □ Specific Plan ☑ Annual Resource Summary Report □ Circulation Study Other documents ☑ Clean Air Plan/APCD Handbook ☑ Regional Transportation Plan
	☐ Conservation & Open Space Element ☐ Economic Element ☐ Housing Element ☐ Noise Element ☐ Parks & Recreation Element/Project List ☐ Safety Element	 ☑ Uniform Fire Code ☑ Water Quality Control Plan (Central Coast Basin – Region 3) ☑ Archaeological Resources Map ☑ Area of Critical Concerns Map ☑ Special Biological Importance Map ☑ CA Natural Species Diversity Database ☑ Fire Hazard Severity Map

Exhibit B - Mitigation Summary Table

Per Public Resources Code Section 21081.6, the following measures also constitute the mitigation monitoring and/or reporting program that will reduce potentially significant impacts to less than significant levels. These measures will become conditions of approval (COAs) should the project be approved. The Lead Agency (County) or other Responsible Agencies, as specified in the following measures, are responsible to verify compliance with these COAs.

Aesthetics

- AS-1. At the time of application for construction permits, the applicant shall submit an Exterior Lighting Plan for County review and approval. The Plan shall define the height, location, and intensity of all exterior lighting. All lighting fixtures shall be positioned "down and into" the development, and shielded so that neither the lamp nor the related reflector interior surface is visible from surrounding properties. All lighting poles, fixtures, and hoods shall be dark colored. These measures shall be shown on applicable construction drawings prior to issuance of construction permits and permanent lighting shall be installed prior to final inspection.
- AS-2. At the time of application for construction permits, the applicant shall show all new development (including residences, residential and agricultural accessory structures, wastewater systems, grading [with the exception of grading for access to the envelopes]) within the building envelopes shown on the tentative map.
- AS-3. Prior to recordation of the final map, the applicant shall provide an exhibit on the additional map sheet, to be recorded with the final map, that shows the exact location of the proposed building envelopes and construction control lines.

Air Quality

- AQ-1. Only the following types of wood burning devices shall be allowed (based on District Rule 504): a) EPA-Certified Phase II wood burning devices; b) catalytic wood burning devices emitting less than or equal to 4.1 grams per hour of particulate matter, as verified by a nationally-recognized testing lab; c) non catalytic wood burning devices which emit less than or equal to 7.5 grams per hour of particulate matter, as verified by a nationally-recognized testing lab; d) pellet-fueled woodheaters; or e) dedicated gas-fired fireplaces. Prior to construction permit issuance, such devices shall be shown on all applicable plans, and installed as approved by the County.
- AQ-2. As of February 25, 2000, the APCD prohibits developmental burning of vegetative material within San Luis Obispo County. However, under certain circumstances where no technically feasible alternatives are available, limited developmental burning under restrictions may be allowed. Any such exception must complete the following prior to any burning: APCD approval; payment of fee to APCD based on the size of the project; and issuance of a burn permit by the APCD and the local fire department authority. As a part of APCD approval, the applicant shall furnish them with the study of technical feasibility (which includes costs and other constraints) at the time of application. For any questions regarding these requirements, Karen Brooks of APCD's Enforcement Division may be contacted (805/781-5912).
- AQ-3. Fugitive PM10 Mitigation Measures (All required PM10 measures shall be shown on applicable grading or construction plans. In addition, the developer shall designate personnel to insure compliance and monitor the effectiveness of the required dust control measures (as conditions dictate, monitor duties may be necessary on weekends and holidays to insure compliance); the name and telephone number of the designated monitor(s) shall be provided to the APCD prior to construction/ grading permit issuance)

- a. Reduce the amount of the disturbed area where possible;
- b. Use of water trucks or sprinkler systems in sufficient quantities to prevent airborne dust from leaving the site. Increased watering frequency would be required whenever wind speeds exceed 15 mph. Reclaimed (nonpotable) water should be used whenever possible;
- c. All dirt stock-pile areas should be sprayed daily as needed;
- d. All roadways, driveways, sidewalks, etc. to be paved should be completed as soon as possible. In addition, building pads should be laid as soon as possible after grading unless seeding or soil binders are used.

Biological Resources

- BR-1. At the time of application for subdivision improvement plans and/or construction permits, if possible, to avoid potential impacts to nesting birds, tree removal associated with project activities shall be limited outside the bird nesting season, which is February 15th to September 15th. However, if tree removal is required during the bird nesting season, a survey for nesting birds shall be conducted within two weeks prior to ground disturbing activities by a qualified biologist, retained by the applicant, in and adjacent to the project area. If nesting birds are found to be located within or adjacent to the project area, an appropriate buffer area shall be established by a qualified biologist to ensure protection of the nesting birds. The biologist shall determine the appropriate buffer distance based on the bird species, topography, vegetation, and type of disturbance and in consultation with CDFG and/or USFWS. At a minimum, the buffer area shall be delineated with brightly colored construction fencing. No construction, grading, or equipment staging activities shall occur within the buffer area, which shall remain in place until the biologist has determined that the young have fledged from the nest.
- BR-2. At the time of application for subdivision improvement plans and/or construction permits, the applicant shall clearly show on the project plans the type, size, and location of all oak trees to be removed as part of the project and all remaining trees within 50 feet of construction activities (including grading). The project plans shall also show the type and location of tree protection measures to be employed. All oak trees to remain on-site that are within fifty feet of construction or grading activities shall be marked for protection (e.g., with flagging) and their root zone protected with orange construction fencing prior to any grading. The outer edge of the tree root zone is 1-1/2 times the distance from the trunk to the drip line of the tree. Grading, utility trenching, compaction of soil, or placement of fill shall be avoided within these fenced areas. If grading in the root zone cannot be avoided, retaining walls shall be constructed to minimize cut and fill impacts. Care shall be taken to avoid surface roots within the top 18 inches of soil. If any roots must be removed or exposed, they shall be cleanly cut and not left exposed above the ground surface.
- BR-3. At the time of application for subdivision improvement plans and/or construction permits, the applicant shall show all oak trees to be removed by proposed development and grading and limit removal to the greatest extent feasible. Oak trees removed shall be replaced at a 4:1 ratio.
- BR-4. At the time of application for subdivision improvement plans and/or construction permits, the applicant shall show all oak trees to be impacted by proposed development and grading (impacted trees are defined as any disturbance/ compaction at 1-1/2 times the distance between the trunk and dripline edge) and limit impacts to the greatest extent feasible. Oak trees impacted shall be replaced at a 2:1 ratio.

- BR-5. Prior to final inspection of construction permits, the applicant shall submit a letter from the qualified botanist stating that all of the required replacement/ landscaping vegetation was planted and any other related specified measures are in place (e.g., irrigation, mulching, etc.).
- BR-6. These seedlings will be cared for (e.g. adequate watering, weeding, remedial work) for a minimum of five years or until they are successfully established. Location of newly planted trees should adhere to the following, whenever possible: on the north side of and at the canopy/dripline edge of existing mature native trees; on north-facing slopes; within drainage swales (except when riparian habitat present); where topsoil is present; and away from continuously wet areas (e.g. lawns, leach lines).
- BR-7. The applicant recognizes that trimming of oaks can be detrimental in the following respects and agrees to minimize trimming of the remaining oaks: removal of larger lower branches should be minimized to 1) avoid making tree top heavy and more susceptible to "blow-overs", 2) reduce having larger limb cuts that take longer to heal and are much more susceptible to disease and infestation. 3) retain the wildlife that is found only in the lower branches, 4) retains shade to keep summer temperatures cooler (retains higher soil moisture, greater passive solar potential, provides better conditions for oak seedling volunteers) and 5) retain the natural shape of the tree. Limit the amount of trimming (roots or canopy) done in anyone season as much as possible to limit tree stress/shock (10% or less is best, 25% maximum). Excessive and careless trimming not only reduces the potential life of the tree, but can also reduce property values if the tree dies prematurely or has an unnatural appearance. If trimming is necessary, the applicant agrees to either use a skilled certified arborist or apply techniques accepted by the International Society of Arboriculture when removing limbs. Unless a hazardous or unsafe situation exists, trimming shall be done only during the winter for deciduous species. Smaller trees (smaller than 5 inches in diameter at four feet above the ground) within the project area are considered to be of high importance, and when possible, shall be given similar consideration as larger trees.

Traffic

T-1. Prior to recordation of the final map, the applicant shall provide evidence that the proposed secondary access meets CalFire standards.

Water

- W-1. At the time of application for construction permits, the applicant will provide retrofitting within the Paso Robles Groundwater Basin boundary to off-set the additional water useage generated by new development on the parcels. Evidence of retrofitting and the estimated amount of water saved through retrofits will be required **prior to permit issuance**.
- W-2. At the time of application for construction permits, the applicant shall provide a landscape plan showing the extent and type of landscaping on the site. The total landscape area is based on a total landscape area of 1,000 square feet, with no more than 10% of that area to be planted with turf grass, and represents a maximum of 170 gallons per day of outdoor water use. If additional landscaping or outdoor water use is proposed, additional offsets will be required. Alternatively, a landscape and irrigation plan prepared by a licensed landscape architect may be used to calculate outdoor water use in lieu of the standard amount.
- W-3. In order to decrease water demand, at the time of application for construction permits, the applicant shall provide the following on the project plans:
 - a. Plans shall incorporate all feasible low impact design (LID) features.
 - b. Landscaping plans shall not use irrigated turf.
 - c. Landscaping plans shall include low water using, drought tolerant plant species, preferably plants native to the region.

Attachment 5

- d. Each parcel's total landscaped area shall not exceed 1,500 square feet.
 e. Use of cisterns and rain barrels.
- f. Use of rain gardens or pervious pavement, and vegetated swales.
- g. Use of greywater systems for irrigation.

DEVELOPER'S STATEMENT FOR THE SAN GERONIMO LLC VESTING TENTATIVE PARCEL MAP (PARCEL MAP CO 07-163); SUB2007-00131

The applicant agrees to incorporate the following measures into the project. These measures become a part to the project description and therefore become a part of the record of action upon which the environmental determination is based. All construction/grading activity must occur in strict compliance with the following mitigation measures. These measures shall be perpetual and run with the land. These measures are binding on all successors in interest of the subject property.

Note: The items contained in the boxes labeled "Monitoring" describe the County procedures to be used to ensure compliance with the mitigation measures.

Aesthetics

AS-1. At the time of application for construction permits, the applicant shall submit an Exterior Lighting Plan for County review and approval. The Plan shall define the height, location, and intensity of all exterior lighting. All lighting fixtures shall be positioned "down and into" the development, and shielded so that neither the lamp nor the related reflector interior surface is visible from surrounding properties. All lighting poles, fixtures, and hoods shall be dark colored. These measures shall be shown on applicable construction drawings prior to issuance of construction permits and permanent lighting shall be installed prior to final inspection.

Monitoring: The Planning and Building Department shall verify compliance.

AS-2. At the time of application for construction permits, the applicant shall show all new development (including residences, residential and agricultural accessory structures, wastewater systems, grading (with the exception of grading for access to the envelopes)) within the building envelopes shown on the tentative map.

Monitoring: The Planning and Building Department shall verify compliance.

AS-3. Prior to recordation of the final map, the applicant shall provide an exhibit on the additional map sheet, to be recorded with the final map, that shows the exact location of the proposed building envelopes and construction control lines.

Monitoring: The Planning and Building Department shall verify compliance.

Air Quality

AQ-1. Only the following types of wood burning devices shall be allowed (based on District Rule 504): a) EPA-Certified Phase II wood burning devices; b) catalytic wood burning devices emitting less than or equal to 4.1 grams per hour of particulate matter, as verified by a nationally-recognized testing lab; c) non catalytic wood burning devices which emit loss than or equal to 7.5 grams per hour of particulate matter, as verified by a

season, a survey for nesting birds shall be conducted within two weeks prior to ground disturbing activities by a qualified biologist, retained by the applicant, in and adjacent to the project area. If nesting birds are found to be located within or adjacent to the project area, an appropriate buffer area shall be established by a qualified biologist to ensure protection of the nesting birds. The biologist shall determine the appropriate buffer distance based on the bird species, topography, vegetation, and type of disturbance and in consultation with CDFG and/or USFWS. At a minimum, the buffer area shall be delineated with brightly colored construction fencing. No construction, grading, or equipment staging activities shall occur within the buffer area, which shall remain in place until the biologist has determined that the young have fledged from the nest.

Monitoring: The Planning and Building Department shall verify compliance.

BR-2. At the time of application for subdivision improvement plans and/or construction permits, the applicant shall clearly show on the project plans the type, size, and location of all oak trees to be removed as part of the project and all remaining trees within 50 feet of construction activities (including grading). The project plans shall also show the type and location of tree protection measures to be employed. All oak trees to remain on-site that are within fifty feet of construction or grading activities shall be marked for protection (e.g., with flagging) and their root zone protected with orange construction fencing prior to any grading. The outer edge of the tree root zone is 1-1/2 times the distance from the trunk to the drip line of the tree. Grading, utility trenching, compaction of soil, or placement of fill shall be avoided within these fenced areas. If grading in the root zone cannot be avoided, retaining walls shall be constructed to minimize cut and fill impacts. Care shall be taken to avoid surface roots within the top 18 inches of soil. If any roots must be removed or exposed, they shall be cleanly cut and not left exposed above the ground surface.

Monitoring: The Planning and Building Department shall verify compliance.

BR-3. At the time of application for subdivision improvement plans and/or construction permits, the applicant shall show all oak trees to be removed by proposed development and grading and limit removal to the greatest extent feasible. Oak trees removed shall be replaced at a 4:1 ratio.

Monitoring: The Planning and Building Department shall verify compliance.

BR-4. At the time of application for subdivision improvement plans and/or construction permits, the applicant shall show all oak trees to be impacted by proposed development and grading (impacted trees are defined as any disturbance/ compaction at 1-1/2 times the distance between the trunk and dripline edge) and limit impacts to the greatest extent feasible. Oak trees impacted shall be replaced at a 2:1 ratio.

Monitoring: The Planning and Building Department shall verify compliance.

BR-5. Prior to final inspection of construction permits, the applicant shall submit a letter from the qualified botanist stating that all of the required replacement/ landscaping vegetation was planted and any other related specified measures are in place (e.g., Irrigation, mulching, etc.).

Monitoring: The Planning and Building Department shall verify compliance.

P 3/5

nationally-recognized testing lab; d) pellet-fueled woodheaters; or e) dedicated gas-fired fireplaces. Prior to construction permit issuance, such devices shall be shown on all applicable plans, and installed as approved by the County.

Monitoring: The Planning and Building Department, in consultation with the Air Poliution Control District (APCD), shall verify compliance.

AQ-2. As of February 25, 2000, the APCD prohibits developmental burning of vegetative material within San Luis Obispo County. However, under certain circumstances where no technically feasible alternatives are available, limited developmental burning under restrictions may be allowed. Any such exception must complete the following prior to any burning: APCD approval; payment of fee to APCD based on the size of the project; and issuance of a burn permit by the APCD and the local fire department authority. As a part of APCD approval, the applicant shall furnish them with the study of technical feasibility (which includes costs and other constraints) at the time of application. For any questions regarding these requirements, Karen Brooks of APCD's Enforcement Division may be contacted (805/781-5912).

> Monitoring: The Planning and Building Department, in consultation with the Air Pollution Control District (APCD), shall verify compliance.

AQ-3. Fugitive PM10 Mitigation Measures (All required PM10 measures shall be shown on applicable grading or construction plans. In addition, the developer shall designate personnel to insure compliance and monitor the effectiveness of the required dust control measures (as conditions dictate, monitor duties may be necessary on weekends and holidays to insure compliance); the name and telephone number of the designated monitor(s) shall be provided to the APCD prior to construction/ grading permit issuance)

Reduce the amount of the disturbed area where possible;

Use of water trucks or sprinkler systems in sufficient quantities to prevent airborne dust from leaving the site. Increased watering frequency would be required whenever wind speeds exceed 15 mph. Reclaimed (nonpotable) water should be used whenever possible;

All dirt stock-pile areas should be sprayed daily as needed;

All roadways, driveways, sidewalks, etc. to be paved should be completed as soon as possible. In addition, building pads should be laid as soon as possible after grading unless seeding or soil binders are used;

Monitoring: The Planning and Building Department, in consultation with the Air Pollution Control District (APCD), shall verify compliance.

Biological Resources

BR-1. At the time of application for subdivision improvement plans and/or construction permits, if possible, to avoid potential impacts to nesting birds, tree removal associated with project activities shall be limited outside the bird nesting season, which is February 15th to September 15th. However, if tree removal is required during the bird nesting

BP-6. These seedlings will be cared for (e.g. adequate watering, weeding, remedial work) for a minimum of five years or until they are successfully established. Location of newly planted trees should adhere to the following, whenever possible: on the north side of and at the canopy/dripline edge of existing mature native trees; on north-facing slopes; within drainage swales (except when riparian habitat present); where topsoil is present; and away from continuously wet areas (e.g. lawns, leach lines).

Monitoring: The Planning and Building Department shall verify compliance.

BR-7. The applicant recognizes that trimming of oaks can be detrimental in the following respects and agrees to minimize trimming of the remaining oaks: removal of larger lower branches should be minimized to 1) avoid making tree top heavy and more susceptible to "blow-overs", 2) reduce having larger limb cuts that take longer to heal and are much more susceptible to disease and infestation, 3) retain the wildlife that is found only in the lower branches, 4) retains shade to keep summer temperatures cooler (retains higher soil moisture, greater passive solar potential, provides better conditions for oak seedling volunteers) and 5) retain the natural shape of the tree. Limit the amount of trimming (roots or canopy) done in anyone season as much as possible to limit tree stress/shock (10% or less is best, 25% maximum). Excessive and careless trimming not only reduces the potential life of the tree, but can also reduce property values if the tree dies prematurely or has an unnatural appearance. If trimming is necessary, the applicant agrees to either use a skilled certified arborist or apply techniques accepted by the International Society of Arboriculture when removing limbs. Unless a hazardous or unsafe situation exists, trimming shall be done only during the winter for deciduous species. Smaller trees (smaller than 5 inches in diameter at four feet above the ground) within the project area are considered to be of high importance, and when possible, shall be given similar consideration as larger trees.

Monitoring: The Planning and Building Department shall verify compliance.

Traffic

T-1. Prior to recordation of the final map, the applicant shall provide evidence that the proposed secondary access meets CalFire standards.

Monitoring: The Planning and Building Department shall verify compliance.

Water

W-1. At the time of application for construction permits, the applicant shall pay a supplemental water development fee for dwelling unit equivalent similar to that required by County Ordinance for properties located within the Nipomo Mesa Water Conservation Area.

Monitoring: The Planning and Building Department shall verify compliance.

W-2. At the time of application for construction permits, if the County's supplemental water fee is not adopted, the applicant shall enter into an agreement with the County that the applicant will provide retrofitting within the Rural Water Company boundary to off-set the additional water useage generated by new development on the parcels. This equates to 0.3325 afy for each parcel (1.33 afy overall estimated total/4 parcels). Evidence of retrofitting and the estimated amount of water saved through retrofits will be required prior to permit issuance.

2015-01-19 01:02

JODY MOONEY 8059955042>> 8054660812 P5/5

Monitoring: The Planning and Building Department shall verify compliance.

- W-3. In order to decrease water demand, at the time of application for construction permits, the applicant shall provide the following on the project plans:
 - Plans shall incorporate all feasible low impact design (LID) features.
 - Landscaping plans shall not use irrigated turf.
 - Landscaping plans shall include low water using, drought tolerant plant species, preferably plants native to the region.
 - d. Each parcel's total landscaped area shall not exceed 1,500 square feet.
 - e. Use of cisterns and rain barrels.
 - Use of rain gardens or pervious pavement, and vegetated swales.
 - g. Use of greywater systems for infigation.

Monitoring: The Planning and Building Department shall verify compliance.

The applicant understands that any changes made to the project subsequent to this environmental determination must be reviewed by the Environmental Coordinator and may require a new environmental determination for the project. By signing this agreement, the owner(s) agrees to and accepts the incorporation of the above measures into the proposed project description.

Signature of Owner(s) Richart Misorry K

SAN GERON INO LLC
Name (Print) Ruhard T MOONEY M.

DEVELOPER'S STATEMENT FOR THE SAN GERONIMO LLC VESTING TENTATIVE PARCEL MAP (PARCEL MAP CO 07-163); SUB2007-00131

The applicant agrees to incorporate the following measures into the project. These measures become a part to the project description and therefore become a part of the record of action upon which the environmental determination is based. All construction/grading activity must occur in strict compliance with the following mitigation measures. These measures shall be perpetual and run with the land. These measures are binding on all successors in interest of the subject property.

Note: The items contained in the boxes labeled "Monitoring" describe the County procedures to be used to ensure compliance with the mitigation measures.

<u>Aesthetics</u>

AS-1. At the time of application for construction permits, the applicant shall submit an Exterior Lighting Plan for County review and approval. The Plan shall define the height, location, and intensity of all exterior lighting. All lighting fixtures shall be positioned "down and into" the development, and shielded so that neither the lamp nor the related reflector interior surface is visible from surrounding properties. All lighting poles, fixtures, and hoods shall be dark colored. These measures shall be shown on applicable construction drawings prior to issuance of construction permits and permanent lighting shall be installed prior to final inspection.

Monitoring: The Planning and Building Department shall verify compliance.

AS-2. At the time of application for construction permits, the applicant shall show all new development (including residences, residential and agricultural accessory structures, wastewater systems, grading [with the exception of grading for access to the envelopes])

Monitoring: The Planning and Building Department shall verify compliance.

AS-3. Prior to recordation of the final map, the applicant shall provide an exhibit on the additional map sheet, to be recorded with the final map, that shows the exact location of the proposed building envelopes and construction control lines.

Monitoring: The Planning and Building Department shall verify compliance.

Air Quality

AQ-1. Only the following types of wood burning devices shall be allowed (based on District Rule 504): a) EPA-Certified Phase II wood burning devices; b) catalytic wood burning devices emitting less than or equal to 4.1 grams per hour of particulate matter, as verified by a nationally-recognized testing lab; c) non catalytic wood burning devices which emit less than or equal to 7.5 grams per hour of particulate matter, as verified by a nationally-recognized testing lab; d) pellet-fueled woodheaters; or e) dedicated gas-fired fireplaces. Prior to construction permit issuance, such devices shall be shown on all

applicable plans, and installed as approved by the County.

Monitoring: The Planning and Building Department, in consultation with the Air Pollution Control District (APCD), shall verify compliance.

AQ-2. As of February 25, 2000, the APCD prohibits developmental burning of vegetative material within San Luis Obispo County. However, under certain circumstances where no technically feasible alternatives are available, limited developmental burning under restrictions may be allowed. Any such exception must complete the following prior to any burning: APCD approval; payment of fee to APCD based on the size of the project; and issuance of a burn permit by the APCD and the local fire department authority. As a part of APCD approval, the applicant shall furnish them with the study of technical feasibility (which includes costs and other constraints) at the time of application. For any questions regarding these requirements, Karen Brooks of APCD's Enforcement Division may be contacted (805/781-5912).

Monitoring: The Planning and Building Department, in consultation with the Air Pollution Control District (APCD), shall verify compliance.

- AQ-3. Fugitive PM10 Mitigation Measures (All required PM10 measures shall be shown on applicable grading or construction plans. In addition, the developer shall designate personnel to insure compliance and monitor the effectiveness of the required dust control measures (as conditions dictate, monitor duties may be necessary on weekends and holidays to insure compliance); the name and telephone number of the designated monitor(s) shall be provided to the APCD prior to construction/ grading permit issuance)
 - a. Reduce the amount of the disturbed area where possible;
 - b. Use of water trucks or sprinkler systems in sufficient quantities to prevent airborne dust from leaving the site. Increased watering frequency would be required whenever wind speeds exceed 15 mph. Reclaimed (nonpotable) water should be used whenever possible;
 - c. All dirt stock-pile areas should be sprayed daily as needed;
 - d. All roadways, driveways, sidewalks, etc. to be paved should be completed as soon as possible. In addition, building pads should be laid as soon as possible after grading unless seeding or soil binders are used;

Monitoring: The Planning and Building Department, in consultation with the Air Pollution Control District (APCD), shall verify compliance.

Biological Resources

BR-1. At the time of application for subdivision improvement plans and/or construction permits, if possible, to avoid potential impacts to nesting birds, tree removal associated with project activities shall be limited outside the bird nesting season, which is February 15th to September 15th. However, if tree removal is required during the bird nesting season, a survey for nesting birds shall be conducted within two weeks prior to ground disturbing activities by a qualified biologist, retained by the applicant, in and adjacent to

the project area. If nesting birds are found to be located within or adjacent to the project area, an appropriate buffer area shall be established by a qualified biologist to ensure protection of the nesting birds. The biologist shall determine the appropriate buffer distance based on the bird species, topography, vegetation, and type of disturbance and in consultation with CDFG and/or USFWS. At a minimum, the buffer area shall be delineated with brightly colored construction fencing. No construction, grading, or equipment staging activities shall occur within the buffer area, which shall remain in place until the biologist has determined that the young have fledged from the nest.

Monitoring: The Planning and Building Department shall verify compliance.

BR-2. At the time of application for subdivision improvement plans and/or construction permits, the applicant shall clearly show on the project plans the type, size, and location of all oak trees to be removed as part of the project and all remaining trees within 50 feet of construction activities (including grading). The project plans shall also show the type and location of tree protection measures to be employed. All oak trees to remain on-site that are within fifty feet of construction or grading activities shall be marked for protection (e.g., with flagging) and their root zone protected with orange construction fencing prior to any grading. The outer edge of the tree root zone is 1-1/2 times the distance from the trunk to the drip line of the tree. Grading, utility trenching, compaction of soil, or placement of fill shall be avoided within these fenced areas. If grading in the root zone cannot be avoided, retaining walls shall be constructed to minimize cut and fill impacts. Care shall be taken to avoid surface roots within the top 18 inches of soil. If any roots must be removed or exposed, they shall be cleanly cut and not left exposed above the ground surface.

Monitoring: The Planning and Building Department shall verify compliance.

BR-3. At the time of application for subdivision improvement plans and/or construction permits, the applicant shall show all oak trees to be removed by proposed development and grading and limit removal to the greatest extent feasible. Oak trees removed shall be replaced at a 4:1 ratio.

Monitoring: The Planning and Building Department shall verify compliance.

BR-4. At the time of application for subdivision improvement plans and/or construction permits, the applicant shall show all oak trees to be impacted by proposed development and grading (impacted trees are defined as any disturbance/ compaction at 1-1/2 times the distance between the trunk and dripline edge) and limit impacts to the greatest extent feasible. Oak trees impacted shall be replaced at a 2:1 ratio.

Monitoring: The Planning and Building Department shall verify compliance.

BR-5. Prior to final inspection of construction permits, the applicant shall submit a letter from the qualified botanist stating that all of the required replacement/ landscaping vegetation was planted and any other related specified measures are in place (e.g., irrigation, mulching, etc.).

Monitoring: The Planning and Building Department shall verify compliance.

BR-6. These seedlings will be cared for (e.g. adequate watering, weeding, remedial work) for a minimum of five years or until they are successfully established. Location of newly

planted trees should adhere to the following, whenever possible: on the north side of and at the canopy/dripline edge of existing mature native trees; on north-facing slopes; within drainage swales (except when riparian habitat present); where topsoil is present; and away from continuously wet areas (e.g. lawns, leach lines).

Monitoring: The Planning and Building Department shall verify compliance.

BR-7. The applicant recognizes that trimming of caks can be detrimental in the following respects and agrees to minimize trimming of the remaining caks: removal of larger lower branches should be minimized to 1) avoid making tree top heavy and more susceptible to "blow-overs", 2) reduce having larger limb cuts that take longer to heal and are much more susceptible to disease and infestation, 3) retain the wildlife that is found only in the lower branches, 4) retains shade to keep summer temperatures cooler (retains higher soil moisture, greater passive solar potential, provides better conditions for oak seedling volunteers) and 5) retain the natural shape of the tree. Limit the amount of trimming (roots or canopy) done in anyone season as much as possible to limit tree stress/shock (10% or less is best, 25% maximum). Excessive and careless trimming not only reduces the potential life of the tree, but can also reduce property values if the tree dies prematurely or has an unnatural appearance. If trimming is necessary, the applicant agrees to either use a skilled certified arborist or apply techniques accepted by the International Society of Arboriculture when removing limbs. Unless a hazardous or unsafe situation exists, trimming shall be done only during the winter for deciduous species. Smaller trees (smaller than 5 inches in diameter at four feet above the ground) within the project area are considered to be of high importance, and when possible, shall be given similar consideration as larger trees.

Monitoring: The Planning and Building Department shall verify compliance.

Traffic

T-1. Prior to recordation of the final map, the applicant shall provide evidence that the proposed secondary access meets CalFire standards.

Monitoring: The Planning and Building Department shall verify compliance.

Water

W-1. At the time of application for construction permits, the applicant shall pay a supplemental water development fee for dwelling unit equivalent similar to that required by County Ordinance for properties located within the Nipomo Mesa Water Conservation Area.

Monitoring: The Planning and Building Department shall verify compliance.

W-2. At the time of application for construction permits, if the County's supplemental water fee is not adopted, the applicant shall enter into an agreement with the County that the applicant will provide retrofitting within the Rural Water Company boundary to off-set the additional water useage generated by new development on the parcels. This equates to 0.3325 afy for each parcel (1.33 afy overall estimated total/4 parcels). Evidence of retrofitting and the estimated amount of water saved through retrofits will be required prior to permit issuance.

Monitoring: The Planning and Building Department shall verify compliance.

- W-3. In order to decrease water demand, at the time of application for construction permits, the applicant shall provide the following on the project plans:
 - a. Plans shall incorporate all feasible low impact design (LID) features.
 - b. Landscaping plans shall not use irrigated turf.
 - c. Landscaping plans shall include low water using, drought tolerant plant species, preferably plants native to the region.
 - d. Each parcel's total landscaped area shall not exceed 1,500 square feet.
 - e. Use of cisterns and rain barrels.
 - Use of rain gardens or pervious pavement, and vegetated swales.
 - Use of greywater systems for irrigation.

Monitoring: The Planning and Building Department shall verify compliance.

The applicant understands that any changes made to the project subsequent to this environmental determination must be reviewed by the Environmental Coordinator and may require a new environmental determination for the project. By signing this agreement, the owner(s) agrees to and accepts the incorporation of the above measures into the proposed project description.

Date November 25 2014

Name (Print)







